



Search for a LIN/TAMCN AUTHN History Inquiry — Criteria

Overview

The Property Accountability module LIN/TAMCN AUTHN History Inquiry process provides the ability to search for LIN/TAMCN AUTHN History records.

Navigation


Inquiries > Authorizations > LIN/TAMCN AUTHN HIST > LIN/TAMCN AUTHN History Inquiry Search Criteria page

Procedures

Search for a LIN/TAMCN AUTHN History Inquiry — Criteria

One or more of the Search Criteria fields can be entered to isolate the results. By default, all results are displayed. Selecting [Reset](#) at any point of this procedure returns all fields to the default "All" setting.

1. In the Search Criteria box, choose which available field to use in the search.



The screenshot shows the 'LIN/TAMCN Auth History Inquiry Search Criteria' form. At the top, there is a 'My Queries' section with a dropdown menu and a 'New Query' button. Below this, the main search criteria section is titled 'LIN/TAMCN Auth History Inquiry Search Criteria'. It contains three columns: 'Available Field(s)', 'Operands', and 'Search Value(s)'. Under 'Available Field(s)', there are two dropdown menus: '*Query Type' (set to 'Detail') and 'Select an Item'. Under 'Operands', there is a dropdown menu set to '='. Under 'Search Value(s)', there is a text input field. At the bottom right of the form, there are three buttons: 'Reset', 'Fields', and 'Show Inquiry'.

2. Choose which Available Field(s) to use in the search.

- A. Use  to select the first Available Field.





Note



Adding another Available Field  automatically populates an additional search criteria row.

Note



Select  to modify the fields used in the inquiry. *The Fields Selection page opens.*

3. Choose which Operands to use in the search.


A. Use  to select the first Operands.


4. Choose which Search Value(s) to use in the search.

A. Use  to select the first Search Value.


Remove an Available Field Row

a. Use  to select desired Available Field.

b. Select . *The desired row is removed.*

5. Select . *The **LIN/TAMCN Authn History Inquiry – Results** page appears.*

Add a My Queries Inquiry

1. Select . *The page refreshes, and My Queries changes from a drop-down field to a text field.*





Help Reference Guide

My Queries

LIN/TAMCN Auth History Inquiry Search Criteria

Available Field(s)	Operands	Search Value(s)
*Query Type	=	Detail
Select an Item		

2. Enter the Query Name in the field provided. *This is a 90 alphanumeric character field.*
 3. Select . The Query and the information entered in the Search Criteria grid are added to My Queries. Select to disregard the Query.
 4. Select . The **LIN/TAMCN Authn History Inquiry — Select Fields** page appears.
- OR
- Select . The **LIN/TAMCN Authn History Inquiry — Results** page appears.

Select a My Queries Inquiry

1. Use  to select the desired saved query. The page refreshes, and the selected query information appears in the search criteria grid.





Help Reference Guide

My Queries

[New Query](#)

LIN/TAMCN Auth History Inquiry Search Criteria

Available Field(s)	Operands	Search Value(s)
*Query Type	=	Detail
Select an Item		

[Reset](#) [Fields](#) [Show Inquiry](#)

2. Select [Fields](#). The **LIN/TAMCN Authn History Inquiry – Select Fields** page appears.
- OR

Select [Show Inquiry](#). The **LIN/TAMCN Authn History Inquiry – Results** page appears.

Update a My Queries Inquiry

1. Use  to select the desired saved query. The page refreshes, the search criteria fields change, and [New Query](#) is joined by [Update Query](#) and [Delete Query](#). The selected query information appears in the search criteria grid.

My Queries

Test 2

[Delete Query](#) [New Query](#) [Update Query](#)


LIN/TAMCN Auth History Inquiry Search Criteria

Available Field(s)	Operands	Search Value(s)
*Query Type	=	Detail
Site Id	=	
Select an Item		


[Reset](#) [Fields](#) [Show Inquiry](#)






2. Select . *The query information is updated.*
- Select . *The **LIN/TAMCN Authn History Inquiry — Select Fields** page appears.*
3. OR
- Select . *The **LIN/TAMCN Authn History Inquiry — Results** page appears.*


Delete a My Queries Inquiry

1. Use  to select the desired saved query. *The page refreshes, and  is joined by  and .* *The selected query information appears in the search criteria grid.*

My Queries

Test 2





LIN/TAMCN Auth History Inquiry Search Criteria

Available Field(s)	Operands	Search Value(s)
*Query Type	=	Detail
Site Id	=	
Select an Item		





2. Select . *The query information is removed.*

Revise the Fields for the Inquiry

- Select . *The **LIN/TAMCN Authn History Inquiry — Select Fields** page appears.*





Search for a LIN/TAMCN AUTHN History Inquiry — Results

Navigation

Inquiries > Authorizations > LIN/TAMCN AUTHN History > Search Criteria > [Show Inquiry](#) > LIN/TAMCN AUTHN History Inquiry Search Results page

Procedures

Export the LIN/TAMCN AUTHN History Inquiry Results

Selecting [Cancel](#) at any point of this procedure removes all revisions and closes the page. **Bold** numbered steps are required.

1. Select  to choose the print format (Excel, PDF, or Word). The procedure leaves the application based on the selection made.





Help Reference Guide

Rows Retrieved = 289

1 of 7 Find | Next

LIN/TAMCN	UIC	Authn Doc Nbr	Prop Type Cd
00000H	E10124	99700E101240001	3 - BASIC LOAD (CLASS III)
00000H	E10124	99700E101240001	3 - BASIC LOAD (CLASS III)
00000H	E10124	99700E101240001	3 - BASIC LOAD (CLASS III)
00000H	E10124	99700E101240001	3 - BASIC LOAD (CLASS III)
00000H	E10124	99700E101240001	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
00000H	E10124	TDAA00E10124AXDC	4 - TDA PROPERTY
00000H	E10124	TDAA00E10124AXDC	4 - TDA PROPERTY
00000H	E10124	TDAA00E10124AXDC	4 - TDA PROPERTY
00000H	E10124	TDAA00E10124AXDC	4 - TDA PROPERTY
00000H	E10124	TDAA00E10124AXDC	4 - TDA PROPERTY
10000A	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
10000A	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
10000A	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
10000A	E10124	CTA4765987698769	3 - BASIC LOAD (CLASS III)
10000A	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
10000A	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
10000A	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
10000A	E10124	E1012422790001	A - OTHER TYPES OF PROPERTY
10000A	E10124	E1012461740001	9 - INSTALLATION PROPERTY(STATION PROPERTY) (NON,DEPLOYABLE)
10000A	E10124	E1012461740001	9 - INSTALLATION PROPERTY(STATION PROPERTY) (NON,DEPLOYABLE)
10000A	E10124	E1012461740001	9 - INSTALLATION PROPERTY(STATION PROPERTY) (NON,DEPLOYABLE)
10000A	E10124	E1012461740001	9 - INSTALLATION PROPERTY(STATION PROPERTY) (NON,DEPLOYABLE)
10000A	E10124	E1012461740001	9 - INSTALLATION PROPERTY(STATION PROPERTY) (NON,DEPLOYABLE)
10000B	E10124	12345678901234567890	0 - MEDICAL COMPONENTS
10000B	E10124	12345678901234567890	0 - MEDICAL COMPONENTS
10000B	E10124	12345678901234567890	0 - MEDICAL COMPONENTS
10000B	E10124	12345678901234567890	0 - MEDICAL COMPONENTS
10000B	E10124	12345678901234567890	0 - MEDICAL COMPONENTS
10000B	E10124	12345678901234567890	0 - MEDICAL COMPONENTS

05/01/2024 14:00
For Official Use Only

1 of 7

Cancel


Note



To reach the optional fields, refer to the LIN/TAMCN Authn History Inquiry — Field Selection page.





2. Select . The **LIN/TAMCN Authn History Inquiry Search Criteria** page appears.

Search the Results

1. Select the empty field  .
2. Enter the characters or words to search. *Entries are not case sensitive.*
3. Select  to search for the entry. *The entry appears highlighted in the file.*
4. Select  to find the next matching value. *This feature is available if multiple results are found.*

View the LIN/TAMCN AUTHN History Inquiry Detail

Select the desired LIN/TAMCN row. The **LIN/TAMCN Authn History Inquiry Detail** page appears.





Select Fields for the LIN/TAMCN AUTHN History Inquiry

Navigation

Inquiries > Authorizations > LIN/TAMCN AUTHN HIST > Search Criteria > >
LIN/TAMCN AUTHN History Inquiry Fields Selection page

Procedures

Choose the Extracted Inquiry File Details

Selecting at any point of this procedure removes all revisions and closes the page, whereas selecting returns all fields to the default "All" setting. **Bold** numbered steps are required.





1. Select **Fields**. The **LIN/TAMCN AUTHN History Inquiry** page appears.

Field Selection

Extract Excel File ☒

Extract Id

Extract Text, Comma Separated File ☐

Privacy Type

Private

My Selections

New Selection List

☐	Field	Field Description
☒	LIN/TAMCN	Line Item Number / Table of Authorized Material Control Number is a number assigned to items contained in authorization documents and designates a family of Stock Numbers.
☒	UIC	A code that uniquely identifies a unit, organization, or activity. The first position is the Service designator, positions 2-4 are the Parent Organization designator, and positions 5-6 are the Descriptive designator
☒	Authn Doc Nbr	Identifies the specific type authorization media (TDA,CTA,message, letter) used for asset requirements and authorization.
☒	Prop Type Cd	Identifies the type of Authorization, TDA, CTA, MTE, etc.
☐	Actbl UIC	Accountable Unit Identification Code - The UIC of the organization that is assigned management responsibility for property belonging to a specific unit organization, or activity. Multiple UICs may be grouped under an Accountable UIC to consolidate data for accountability and accounting system reporting purposes.
☐	Aut Qty	Authorized Quantity
☐	Authn Eff Dt	Date an authorization becomes effective.
☐	Authn Exp Dt	The date the authorization is no longer considered valid.
☐	Authn Remarks Cd	Provides guidance for distribution and restricted issue and usage for certain authorized equipment.
☐	Estbd By	The name of the entity inserting this row.
☐	Estbd Dt	The date this row was inserted into the database.
☐	Last Tran Dt	Date when the last transaction took place. Automatically assigned by the system.
☐	Last Updtd By	Last updated by (user id)
☐	Rem	A text field available to record local information/reason for change to record.
☐	Req Qty	Minimum essential quantity of a specific type of asset required by an activity to perform its mission and functions.
☐	Site Id	Site Identification. Identifies a unique database within DPAS

Cancel

Reset

Show Inquiry

Submit

2. Choose the desired file type:

- Click ☒ to select Extract Excel File. The extracted file on the **View Inquiry Extract** page is an **.XLS** file.

OR

Click ☐ to select Extract Text, Comma Separated File. The extracted file on the **View Inquiry Extract** page is a **.CSV** file.





Help Reference Guide

- Enter an unique identifier in the Extract ID field provided. *This adds the identifier to the link on the **View Inquiry Extract** page, and does not change the file name.*
- Use  to select the Privacy Type.

Add a Selection List

- Select . *The page refreshes, and Selections changes from a drop-down field to a text field.*


My Selections

☐ Field	Field Description
☒ LIN/TAMCN	Line Item Number / Table of Authorized Material Control Number is a number assigned to items contained in authorization documents and designates a family of Stock Numbers.
☒ UIC	A code that uniquely identifies a unit, organization, or activity. The first position is the Service designator, positions 2-4 are the Parent Organization designator, and positions 5-6 are the Descriptive designator.

Note



Selecting  at any time from this point of the procedure removes all revisions and returns My Selections to a drop-down field.

- Select . *The page refreshes, and the selected list is added.*
 is replaced by  and .

Select  for small volumes of data. *The **LIN/TAMCN Authn History Inquiry — Results** page appears.*

3.

OR

Select  for large volumes of data. *The **LIN/TAMCN Authn History Inquiry Transaction Status** page appears.*





Use a Predetermined Field Selection List

1. Use  to display the Selection List.

My Selections

New Selection List

☐	Field	Field Description
☒	LIN/TAMCN	Line Item Number / Table of Authorized Material Control Number is a number assigned to items contained in authorization documents and designates a family of Stock Numbers.
☒	UIC	A code that uniquely identifies a unit, organization, or activity. The first position is the Service designator, positions 2-4 are the Parent Organization designator, and positions 5-6 are the Descriptive designator


Select  for small volumes of data. *The **LIN/TAMCN Authn History Inquiry — Results** page appears.*

- 2.

OR

Select  for large volumes of data. *The **LIN/TAMCN Authn History Inquiry Transaction Status** page appears.*

Update a Selection List

1. Use  to select the desired Selection List. *The page refreshes, the search criteria fields change, and  is joined by  and .*

My Selections


Test 2

Delete Selection List

New Selection List

Update Selection List


☐	Field	Field Description
☒	LIN/TAMCN	Line Item Number / Table of Authorized Material Control Number is a number assigned to items contained in authorization documents and designates a family of Stock Numbers.
☒	UIC	A code that uniquely identifies a unit, organization, or activity. The first position is the Service designator, positions 2-4 are the Parent Organization designator, and positions 5-6 are the Descriptive designator

2. Select . *The page refreshes.*







3. Select  for small volumes of data. The **LIN/TAMCN Authn History Inquiry — Results** page appears.
- OR

Select  for large volumes of data. The **LIN/TAMCN Authn History Inquiry Transaction Status** page appears.

Delete a Selection List

1. Use  to select the desired Selection List. The page refreshes, the search criteria fields change, and  is joined by  and .



Field	Field Description
☒ LIN/TAMCN	Line Item Number / Table of Authorized Material Control Number is a number assigned to items contained in authorization documents and designates a family of Stock Numbers.
☒ UIC	A code that uniquely identifies a unit, organization, or activity. The first position is the Service designator, positions 2-4 are the Parent Organization designator, and positions 5-6 are the Descriptive designator.

2. Select . The page refreshes and the list is immediately deleted.

Modify the Fields Used for the Inquiry

Selecting  at any point of this procedure removes all revisions and closes the page.

Bold numbered steps are required.

One or more of the Search Criteria fields can be entered to isolate the results. By default, all results are displayed. Selecting  at any point of this procedure returns all fields to the default "All" setting.





1. Select **Fields**. The **LIN/TAMCN AUTHN History Inquiry** page appears.

Field Selection

Extract Excel File ☒

Extract Id

Extract Text, Comma Separated File ☐

Privacy Type

Private

My Selections

New Selection List

☐	Field	Field Description
☒	LIN/TAMCN	Line Item Number / Table of Authorized Material Control Number is a number assigned to items contained in authorization documents and designates a family of Stock Numbers.
☒	UIC	A code that uniquely identifies a unit, organization, or activity. The first position is the Service designator, positions 2-4 are the Parent Organization designator, and positions 5-6 are the Descriptive designator
☒	Authn Doc Nbr	Identifies the specific type authorization media (TDA,CTA,message, letter) used for asset requirements and authorization.
☒	Prop Type Cd	Identifies the type of Authorization, TDA, CTA, MTE, etc.
☐	Actbl UIC	Accountable Unit Identification Code - The UIC of the organization that is assigned management responsibility for property belonging to a specific unit organization, or activity. Multiple UICs may be grouped under an Accountable UIC to consolidate data for accountability and accounting system reporting purposes.
☐	Aut Qty	Authorized Quantity
☐	Authn Eff Dt	Date an authorization becomes effective.
☐	Authn Exp Dt	The date the authorization is no longer considered valid.
☐	Authn Remarks Cd	Provides guidance for distribution and restricted issue and usage for certain authorized equipment.
☐	Estbd By	The name of the entity inserting this row.
☐	Estbd Dt	The date this row was inserted into the database.
☐	Last Tran Dt	Date when the last transaction took place. Automatically assigned by the system.
☐	Last Updtd By	Last updated by (user id)
☐	Rem	A text field available to record local information/reason for change to record.
☐	Req Qty	Minimum essential quantity of a specific type of asset required by an activity to perform its mission and functions.
☐	Site Id	Site Identification. Identifies a unique database within DPAS

Cancel

Reset

Show Inquiry

Submit

2. Select the fields required for the inquiry. The first 4 fields are automatically selected.

Note




The number of fields selected determines the amount of data returned from the database. The more data returned, the longer the inquiry takes.





3. Select  for small volumes of data. The **LIN/TAMCN Authn History Inquiry — Results** page appears.
- OR**

Select  for large volumes of data. The **LIN/TAMCN Authn History Inquiry Transaction Status** page appears.





View the LIN/TAMCN AUTHN History Inquiry Detail — Basic

Navigation

Inquiries > Authorizations > LIN/TAMCN AUTHN HIST > Search Criteria > [Show Inquiry](#) > Search Results > Inquiry Row hyperlink > LIN/TAMCN AUTHN History Inquiry Detail — Basic page

Procedures

Export the LIN/TAMCN AUTHN History Inquiry Detail — Basic

Selecting [Cancel](#) at any point of this procedure removes all revisions and closes the page. **Bold** numbered steps are required.

1. Verify the LIN/TAMCNAUTHN History Detail tab.

1 of 1

Find | Next

UIC	LIN/TAMCN	Para Nbr	Authn Doc Nbr	Authn Prop Type Cd	Aut Qty	Req Qty	Authn Eff Dt	Authn Exp Dt	Authn Remarks Cd	Estbd Dt	Estbd By	Last Tran Dt	Last Upd By	History Remarks
E10124	10000A	123D - TEST FOR US	E1012461740001	9 - INSTALLATION PROPERTY (STATION PROPERTY) (NON-DEPLOYABLE)	3	3	06/22/2012	06/22/2014		06/22/2012	THATCHER	06/22/2012	THATCHER	
E10124	10000A	123D - TEST FOR US	E1012461740001	9 - INSTALLATION PROPERTY (STATION PROPERTY) (NON-DEPLOYABLE)	3	3	06/22/2012	06/22/2014		06/22/2012	THATCHER	10/03/2012	DPAS_WEB	Auth Mgt no longer set to 'LIN/TAMCN' for this UIC
E10124	10000A	123D - TEST FOR US	E1012461740001	9 - INSTALLATION PROPERTY (STATION PROPERTY) (NON-DEPLOYABLE)	3	3	06/22/2012	06/22/2014		06/22/2012	THATCHER	10/03/2012	DPAS_WEB	Auth Mgt no longer set to 'LIN/TAMCN' for this UIC
E10124	10000A	123D - TEST FOR US	E1012461740001	9 - INSTALLATION PROPERTY (STATION PROPERTY) (NON-DEPLOYABLE)	3	3	06/22/2012	06/22/2014		06/22/2012	THATCHER	01/14/2013	DPAS_WEB	Auth Mgt no longer set to 'LIN/TAMCN' for this UIC
E10124	10000A	123D - TEST FOR US	E1012461740001	9 - INSTALLATION PROPERTY (STATION PROPERTY) (NON-DEPLOYABLE)	3	3	06/22/2012	06/22/2014		06/22/2012	THATCHER	09/20/2013	DPAS_WEB	Auth Mgt no longer set to 'LIN/TAMCN' for this UIC


For Official Use Only

Back Cancel

2. Select  to choose the print format (Excel, PDF, or Word). The procedure leaves the application based on the selection made.
3. Follow the prompts provided by the computer.






Select . The **LIN/TAMCN Authn History Inquiry — Criteria** page appears.

4.

OR

Select . The **LIN/TAMCN Authn History Inquiry — Results** page appears.

Search the Results

1. Select the empty field .
2. Enter the characters or words to search. *Entries are not case sensitive.*
3. Select  to search for the entry. *The entry appears highlighted in the file.*
4. Select  to find the next matching value. *This feature is available if multiple results are found.*

