



Search for a System Identification — Criteria

Overview

The Property Accountability module System Identification (SYSTEM ID) provides the ability to search, add, update or delete a SYSTEM ID. The SYSTEM ID is used to tie together end items and/or components as a single system.

Navigation


Master Data > SYSTEM ID > System Identification Search Criteria page

Procedures

Search for a System Identification — Criteria

One or more of the Search Criteria fields can be entered to isolate the results. By default, all results are displayed. Selecting at any point of this procedure returns all fields to the default "All" setting.

1. In the Search Criteria panel, narrow the results by entering one or more of the following fields.



- Use  to select the UIC.





2. Select . The **System Identification Search Results** page appears.

Search Criteria

UIC	Sys Id
ABC123	1234

Search Results

Update	Delete	Sys Id	Desc	Status
Update	Delete	1234	TRAIN	Active





Add a System Identification

Navigation


Master Data > SYS ID > Search Criteria >  > System Identification Add page

Procedures

Add a System Identification

Selecting  at any point of this procedure removes all revisions and closes the page. **Bold** numbered steps are required.

1. Select . The **System Identification Add** page appears.



- A. Use  to select the UIC.
 - B. Enter the SYS ID in the field provided. *This is a 30 alphanumeric character field.*
 - C. Use  to select the Status.
 - D. Enter the DESC in the field provided. *This is a 250 alphanumeric character field.*
2. Select . The **System Identification Transaction Status** page appears.





Update a System Identification

Navigation


Master Data > SYS ID > Search Criteria > > Search Results > Update hyperlink > System Identification Update page

Procedures

Update a System Identification

Selecting at any point of this procedure removes all revisions and closes the page. **Bold** numbered steps are required.

1. Select the Update hyperlink. The **System Identification Update** page appears.



The screenshot shows a web form titled "Update". It contains several fields: "* UIC" with the value "ABC123", "* Desc" with the value "TESTNL", "* Sys Id" with the value "TESTNL", and "* Status" with a dropdown menu currently set to "Active". There is also a "History Remarks" field which is empty. At the bottom right of the form are two buttons: "Cancel" and "Update".

- A. Verify the UIC.
 - B. Verify the SYS ID.
 - C. Update the Status, using  to select the desired status.
 - D. Update the DESC, entering the revised description in the field provided. *This is a 250 alphanumeric character field.*
2. Select . The **System Identification Transaction Status** page appears.





Delete a System Identification

Navigation

Master Data > SYS ID > Search Criteria > > Search Results > Delete hyperlink > System Identification Delete page

Procedures

Delete a System Identification

Selecting at any point of this procedure removes all revisions and closes the page. **Bold** numbered steps are required.

1. Select the Delete hyperlink. The **System Identification Delete** page appears.

To complete delete action, select Delete; otherwise, select Cancel

Delete			
* UIC	ABC123	* Desc	TESTNL
* Sys Id	TESTNL	<input type="text"/>	
* Status	Active		
		History Remarks	

- A. Verify the UIC.
 - B. Verify the SYS ID.
 - C. Verify the Status.
 - D. Verify the DESC.
2. Select . The **System Identification Transaction Status** page appears.

