



Apply Authorization

Overview

The Force System Management module Apply Authorization process provides the ability to associate a UIC to an Authorization, or an Authorization to a UIC.

Navigation

Authorization MGMT > Apply Authorization > Apply Authorization page

Procedures

Search for an Authorization ID

One or more of the Search Criteria fields can be entered to isolate the results. By default, all results are displayed. Selecting



at any point of this procedure returns all fields to the default "All" setting.

1. Select the Authorization ID tab.

Authorization Id
UIC

Search Criteria

Authorization Id

↶ Reset
🔍 Search

- Enter the Authorization ID, or use to browse for the entry. *This is a 4-7 alphanumeric character field.*

2. Select . The results appear in the **Authorization ID Search Results** panel.

Search Results

AUTHORIZATION ID
102319b

AUTHORIZATION DESCRIPTION
tst2

PLATFORM
Admin

MISSION DESCRIPTION
tst2

🔍 Grid Options + Add 🗑 Delete 🔍 Details 💾 Save ↶ Reset

Site Id	Accountable UIC	UIC ↑	UIC Name	Major Command Code	Organization Id	DoDAAC
<input type="checkbox"/> FH-AFHAF	FE1824	FE1824	NEW ORLEANS F15 CRF LA	4Z	CRK UIC	FE1824
<input type="checkbox"/> FH-AFHAF	FE6101	FE6101	ROBINS ANG GA	4Z	FE6101-FE6101	FE6101

Selected 0/2
◀ 1 ▶
10 items per page
1 - 2 of 2 items



Add a UIC

1. Select . The **UIC Browse** pop-up window appears.
2. The selected UIC appears at the top of the Search Results panel.

Search Results

AUTHORIZATION ID: 102319b | AUTHORIZATION DESCRIPTION: tst2 | PLATFORM: Admin | MISSION DESCRIPTION: tst2

Grid Options | **+ Add** | Delete | Details | Save | Reset

Site Id	Accountable UIC	UIC	UIC Name	Major Command Code	Organization Id	DoDAAC
FH-AFHAF	FE4654	BPU000	BPU000	2H	0000CEF6G000	FE4654
FH-AFHAF	FE1824	FE1824	NEW ORLEANS F15 CRF LA	4Z	CRK UIC	FE1824
FH-AFHAF	FE6101	FE6101	ROBINS ANG GA	4Z	FE6101-FE6101	FE6101

Selected 0/3 | 1 | 10 items per page | 1 - 3 of 3 items

3. Select . The fields close and the record is permanently added to the **Authorization Id Search Results** panel.

Delete a UIC

1. Click to select the desired entry. The UIC record is highlighted, and  and  become available.

Search Results

AUTHORIZATION ID: 102319b | AUTHORIZATION DESCRIPTION: tst2 | PLATFORM: Admin | MISSION DESCRIPTION: tst2

Grid Options | + Add | **Delete** | **Details** | Save | Reset

Site Id	Accountable UIC	UIC	UIC Name	Major Command Code	Organization Id	DoDAAC
<input checked="" type="checkbox"/>	FH-AFHAF	FE4654	BPU000	BPU000	2H	0000CEF6G000
<input type="checkbox"/>	FH-AFHAF	FE1824	NEW ORLEANS F15 CRF LA	4Z	CRK UIC	FE1824
<input type="checkbox"/>	FH-AFHAF	FE6101	ROBINS ANG GA	4Z	FE6101-FE6101	FE6101

Selected 1/3 | 1 | 10 items per page | 1 - 3 of 3 items

2. Select . The **Delete UIC From Authorization** pop-up window appears.

View the Details of a UIC

1. Click to select the desired entry. The UIC record is highlighted, and  and  become available.



Search Results

AUTHORIZATION ID: 102319b | AUTHORIZATION DESCRIPTION: tst2 | PLATFORM: Admin | MISSION DESCRIPTION: tst2

Grid Options | + Add | Delete | Details | Save | Reset

Site Id	Accountable UIC	UIC	UIC Name	Major Command Code	Organization Id	DoDAAC
<input checked="" type="checkbox"/>	FH-AFHAF	FE4654	BPU000	BPU000	2H	0000CEF6G000
<input type="checkbox"/>	FH-AFHAF	FE1824	FE1824	NEW ORLEANS F15 CRF LA	4Z	CRK UIC
<input type="checkbox"/>	FH-AFHAF	FE6101	FE6101	ROBINS ANG GA	4Z	FE6101-FE6101

Selected 1/3 | 10 items per page | 1 - 3 of 3 items

2. Select . The **Review Authorization** page appears.

Search Criteria

Search Results

Grid Options | Save | Reset | Details

UIC	Org Id	DoDAAC	Authorization Id	Platform	Stock Number	Readiness Code	UTC	FReq Qty	FAuth Qty	Match Qty	OReq Qty	OAuth Qty
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	159AABL	WRMBOBBASE	6110000072585	D	XFABL2	0	0	Off	0
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	159AABL	WRMBOBBASE	8340015120077	D	XFABL	0	528	Off	0
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	159AABL	WRMBOBBASE	8145015121201	D	XFABL	0	528	Off	0
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	45082	Admin	1005000032251	A	UTC1	2	2	On	2
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5110000724712	A	utc1	5	6	Off	5
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5110005416730	A	utc1	5	5	On	5
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5120002242661	A	utc2	5	5	On	5
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5995016311930	A	utc1	5	5	Off	5

Search for a UIC

1. Select the UIC tab.

Authorization Id | **UIC**

Search Criteria

UIC

- Enter the UIC, or use  to browse for the entry. *This is a 6 alphanumeric character field.*

2. Select . The results appear in the **UIC Search Results** panel.





Search Results ^

UIC
BPU1AQ

UIC NAME
BPU1AQ

ORGANIZATION ID
0000CEF6G000

DODAAC
FE4654

Grid Options ▾
+ Add
Delete
Details
Save
Reset

<input type="checkbox"/> Authorization Id ↑ ▾	Authorization Desc ▾	Platform ▾	Mission Description ▾
<input type="checkbox"/> 1234567	1234567 desc	Admin	1234567 mission
<input type="checkbox"/> 252AC1B	Flightline Tools	252 - HH060G	Flightline Tools
<input type="checkbox"/> 341DCB		323-HD071G	
<input type="checkbox"/> ACD123	ACD regression		ACD regression
<input type="checkbox"/> hello			

Selected 0/5
◀ 1 ▶
10 ▾ items per page
1 - 5 of 5 items

Add an Authorization ID

1. Select + Add. The **Authorization Browse** pop-up window appears.
2. The selected Authorization ID appears at the top of the Search Results panel.





Search Results ^

UIC
BPU1AQ

UIC NAME
BPU1AQ

ORGANIZATION ID
0000CEF6G000

DODAAC
FE4654

Grid Options ▾
+ Add
Delete
Details
Save
Reset

<input type="checkbox"/>	Authorization Id ↑ ▾	Authorization Desc ▾	Platform ▾	Mission Description ▾
<input type="checkbox"/>	102319c		WRMBOBBASE	
<input type="checkbox"/>	1234567	1234567 desc	Admin	1234567 mission
<input type="checkbox"/>	252AC1B	Flightline Tools	252 - HH060G	Flightline Tools
<input type="checkbox"/>	341DCB		323-HD071G	
<input type="checkbox"/>	ACD123	ACD regression		ACD regression
<input type="checkbox"/>	hello			

Selected 0/6 ◀ ▶ 1 ▶ 10 items per page 1 - 6 of 6 items

3. Select . The fields close and the record is permanently added to the **UIC Search Results** panel.

Delete an Authorization ID

1. Click to select the desired entry. The *Authorization ID* record is highlighted, and  and  become available.





Search Results

BPU1AQ
 BPU1AQ
 0000CEF6G000
 FE4654

<input type="checkbox"/>	Authorization Id	Authorization Desc	Platform	Mission Description
<input type="checkbox"/>	102319c		WRMBOBBASE	
<input type="checkbox"/>	1234567	1234567 desc	Admin	1234567 mission
<input checked="" type="checkbox"/>	252AC1B	Flightline Tools	252 - HH060G	Flightline Tools
<input type="checkbox"/>	341DCB		323-HD071G	
<input type="checkbox"/>	ACD123	ACD regression		ACD regression
<input type="checkbox"/>	hello			

Selected 1/6 1 10 items per page 1 - 6 of 6 items

2. Select . The **Delete UIC From Authorization** pop-up window appears.

View the Details of a Authorization Id

1. Click to select the desired entry. The UIC record is highlighted, and and become available.





Search Results

UIC
BPU1AQ

UIC NAME
BPU1AQ

ORGANIZATION ID
0000CEF6G000

DODAAC
FE4654

Grid Options + Add Delete Details Save Reset

<input type="checkbox"/>	Authorization Id	Authorization Desc	Platform	Mission Description
<input type="checkbox"/>	102319c		WRMBOBBASE	
<input type="checkbox"/>	1234567	1234567 desc	Admin	1234567 mission
<input checked="" type="checkbox"/>	252AC1B	Flightline Tools	252 - HH060G	Flightline Tools
<input type="checkbox"/>	341DCB		323-HD071G	
<input type="checkbox"/>	ACD123	ACD regression		ACD regression
<input type="checkbox"/>	hello			

Selected 1/6
◀ 1 ▶
10 items per page
1 - 6 of 6 items

2. Select Details. The **Review Authorization** page appears.

Search Criteria

Search Results

Grid Options Save Reset Details

<input type="checkbox"/>	UIC	Org Id	DoDAAC	Authorization Id	Platform	Stock Number	Readiness Code	UTC	FReq Qty	FAuth Qty	Match Qty	OReq Qty	OAuth Qty
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	159AABL	WRMBOBBASE	6110000072585	D	XFABL2	0	0	Off	0	0
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	159AABL	WRMBOBBASE	8340015120077	D	XFABL	0	528	Off	0	528
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	159AABL	WRMBOBBASE	8145015121201	D	XFABL	0	528	Off	0	528
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	45082	Admin	1005000032251	A	UTC1	2	2	On	2	2
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5110000724712	A	utc1	5	6	Off	5	6
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5110005416730	A	utc1	5	5	On	5	5
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5120002242661	A	utc2	5	5	On	5	5
<input type="checkbox"/>	BPU000	0000CEF6G000	FE4654	1234567	Admin	5995016311930	A	utc1	5	5	Off	5	5





Delete an Authorization from a UIC

Overview

The Apply Authorization Delete process allows removal of an Authorization from a UIC record.

Navigation

Authorization MGMT > Apply Authorization > (desired record) >  > Delete an Authorization from a UIC pop-up window

Procedures

Delete an Authorization from a UIC

Selecting  at any point of this procedure removes all revisions and closes the page. Selecting  retains the information and returns to the previous page. **Bold** numbered steps are required.

- Click to select the desired entry. The Authorization ID record is highlighted, and  and  become available.

Search Results

UIC
BPU1AQ

UIC NAME
BPU1AQ

ORGANIZATION ID
0000CEF6G000

DODAAC
FE4654

Grid Options ▾ + Add  Delete  Details  Save  Reset

<input type="checkbox"/>	Authorization Id ↑	Authorization Desc	Platform	Mission Description
<input type="checkbox"/>	102319c		WRMBOBBASE	
<input type="checkbox"/>	1234567	1234567 desc	Admin	1234567 mission
<input checked="" type="checkbox"/>	252AC1B	Flightline Tools	252 - HH060G	Flightline Tools
<input type="checkbox"/>	341DCB		323-HD071G	
<input type="checkbox"/>	ACD123	ACD regression		ACD regression
<input type="checkbox"/>	hello			

Selected 1/6
◀ 1 ▶
10 items per page
1 - 6 of 6 items

- Select . The **Delete Authorization from a UIC** pop-up window appears.



Delete Authorization from UIC ✕

Are you sure you want to delete the Authorization from the UIC? Any related organization level quantities will also be deleted.

History Remarks

3. Enter the History Remarks in the field provided. *This is a 1024 alphanumeric character field.*

4. Select . *The Authorization Id is removed from the UIC.*





Delete a UIC from an Authorization

Overview


The Apply Authorization Delete process allows removal of a UIC from an Authorization record.

Navigation

Authorization MGMT > Apply Authorization > (desired record) >  > Delete a UIC from an Authorization pop-up window

Procedures

Delete a UIC from an Authorization

Selecting  at any point of this procedure removes all revisions and closes the page. Selecting  retains the information and returns to the previous page. **Bold** numbered steps are required.

- Click to select the desired entry. The UIC record is highlighted, and  and  become available.

Search Results

AUTHORIZATION ID: 102319b | AUTHORIZATION DESCRIPTION: tst2 | PLATFORM: Admin | MISSION DESCRIPTION: tst2

Grid Options | + Add | Delete | Details | Save | Reset

Site Id	Accountable UIC	UIC	UIC Name	Major Command Code	Organization Id	DoDAAC
<input checked="" type="checkbox"/>	FH-AFHAF	FE4654	BPU000	BPU000	2H	0000CEF6G000
<input type="checkbox"/>	FH-AFHAF	FE1824	FE1824	NEW ORLEANS F15 CRF LA	4Z	CRK UIC
<input type="checkbox"/>	FH-AFHAF	FE6101	FE6101	ROBINS ANG GA	4Z	FE6101-FE6101

Selected 1/3 | 1 | 10 items per page | 1 - 3 of 3 items

- Select . The **Delete UIC From Authorization** pop-up window appears.



Delete UIC from Authorization ✕

Are you sure you want to delete the UIC from the Authorization? Any related organization level quantities will also be deleted.

History Remarks

3. Enter the History Remarks in the field provided. *This is a 1024 alphanumeric character field.*

4. Select . *The UIC is removed from the Authorization.*